

Package ‘fitODBODRshiny’

March 8, 2024

Title 'Shiny' Application for R Package 'fitODBOD'

Version 1.0.2

Description For binomial outcome data Alternate Binomial Distributions and Binomial Mixture Distributions are fitted when overdispersion is available.

License MIT + file LICENSE

URL <https://github.com/Amalan-ConStat/fitODBODRshiny>,<https://amalan-con-stat.shinyapps.io/fitODBODRshiny/>

BugReports <https://github.com/Amalan-ConStat/fitODBODRshiny/issues>

Depends R (>= 2.10)

Imports bslib, config (>= 0.3.2), flextable, ggplot2, golem (>= 0.4.1), shiny (>= 1.8.0), shinydashboard, shinyscreenshot

Suggests gridlayout

Additional_repositories <https://amalan-constat.github.io/drat/>

Encoding UTF-8

LazyData true

LazyDataCompression xz

RoxygenNote 7.3.1

NeedsCompilation no

Author Amalan Mahendran [cre, aut]

Maintainer Amalan Mahendran <amalan0595@gmail.com>

Repository CRAN

Date/Publication 2024-03-08 07:50:02 UTC

R topics documented:

All_Plots	2
run_app	3
Index	4

All_Plots

All Plots data

Description

Data for the Rshiny application are stored here. The data consists a list of plots for Alternate Binomial and Binomial Mixture distributions modelled on the datasets from the R package "fitODBOD". Each element here consists seven elements representing the seven datasets.

Usage

All_Plots

Format

A list with

All_Data All Datasets with binomial random variables and their frequencies

ABD_Table Table results from the Alternate Binomial distribution

BMD_Table Table results from the Binomial Mixture distributions

Bin_Plot Plot for the fitted Binomial distribution

Add_Bin_Plot Frequency plot for the fitted Additive Binomial distribution

Beta_Corr_Bin_Freq_Plot Frequency plot for the fitted Beta Correlated Binomial distribution

Beta_Corr_Bin_Par_Plot Parameter plot for the fitted Beta Correlated Binomial distribution

COMP_Bin_Freq_Plot Frequency plot for the fitted Composite Binomial distribution

COMP_Bin_Par_Plot Parameter plot for the fitted Composite Binomial distribution

Corr_Bin_Freq_Plot Frequency plot for the fitted Correlated Binomial distribution

Corr_Bin_Par_Plot Parameter plot for the fitted Correlated Binomial distribution

Multi_Bin_Freq_Plot Frequency plot for the fitted Multiplicative Binomial distribution

Multi_Bin_Par_Plot Parameter plot for the fitted Multiplicative Binomial distribution

LMulti_Bin_Freq_Plot Frequency plot for the fitted Lovinson Multiplicative Binomial distribution

LMulti_Bin_Par_Plot Parameter plot for the fitted Lovinson Multiplicative Binomial distribution

Tri_Bin_Plot Frequency plot for the fitted Triangular Binomial distribution

Beta_Bin_Freq_Plot Frequency plot for the fitted Beta Binomial distribution

Beta_Bin_Par_Plot Parameter plot for the fitted Beta Binomial distribution

Kum_Bin_Freq_Plot Frequency plot for the fitted Kumaraswamy Binomial distribution

Kum_Bin_Par_Plot Parameter plot for the fitted Kumaraswamy Binomial distribution

Gam_Bin_Freq_Plot Frequency plot for the fitted Gamma Binomial distribution

Gam_Bin_Par_Plot Parameter plot for the fitted Gamma Binomial distribution

Grassia_Bin_Freq_Plot Frequency plot for the fitted Grassia II Binomial distribution

Grassia_Bin_Par_Plot Parameter plot for the fitted Grassia II Binomial distribution

GHGBeta_Bin_Freq_Plot Frequency plot for the fitted Gaussian Hypergeometric Generalized Beta Binomial distribution

GHGBeta_Bin_Par_Plot Parameter plot for the fitted Gaussian Hypergeometric Generalized Beta Binomial distribution

McGBB_Bin_Freq_Plot Frequency plot for the fitted McDonald Generalized Beta Binomial distribution

McGBB_Bin_Par_Plot Parameter plot for the fitted McDonald Generalized Beta Binomial distribution

Examples

```
length(All_Plots$Bin_Plots) # No of plots in the list for all 7 datasets
length(All_Plots$All_Data) # 7 datasets
```

run_app	<i>Run the Shiny Application</i>
---------	----------------------------------

Description

Run the Shiny Application

Usage

```
run_app(...)
```

Arguments

... list of golem options.

Value

used for side effects

Index

* **datasets**

All_Plots, [2](#)

All_Plots, [2](#)

run_app, [3](#)