

Package ‘hdbma’

December 15, 2023

Type Package

Title Bayesian Mediation Analysis with High-Dimensional Data

Version 1.0

Date 2023-12-16

Maintainer Qingzhao Yu <qyu@lsuhsc.edu>

Depends R (>= 2.14.1), R2jags, gplots, MASS, survival, splines

Imports lattice, methods

Encoding UTF-8

Description Mediation analysis is used to identify and quantify intermediate effects from factors that intervene the observed relationship between an exposure/predicting variable and an outcome. We use a Bayesian adaptive lasso method to take care of the hierarchical structures and high dimensional exposures or mediators.

License GPL (>= 2)

URL <https://www.r-project.org>,
https://publichealth.lsuhs.edu/Faculty_pages/qyu/index.html

RoxygenNote 7.2.3

NeedsCompilation no

Author Qingzhao Yu [aut, cre, cph],
Bin Li [aut]

Repository CRAN

Date/Publication 2023-12-15 12:30:02 UTC

R topics documented:

hdbma-package	2
hdbma	3
print.summary.hdbma	6
summary.hdbma	7
weight_behavior	9

Index	11
--------------	-----------

hdbma-package

*Bayesian Mediation Analysis with High-Dimensional Data***Description**

Mediation analysis is used to identify and quantify intermediate effects from factors that intervene the observed relationship between an exposure/predicting variable and an outcome. We use a Bayesian adaptive lasso method to take care of the hierarchical structures and high dimensional exposures or mediators.

Details

The DESCRIPTION file:

```

Package:      hdbma
Type:         Package
Title:        Bayesian Mediation Analysis with High-Dimensional Data
Version:      1.0
Date:         2023-12-16
Authors@R:   c(person("Qingzhao Yu", role = c("aut", "cre", "cph"), email = "qyu@lsuhsc.edu"), person("Bin Li", role = "a
Maintainer:   Qingzhao Yu <qyu@lsuhsc.edu>
Depends:      R (>= 2.14.1), R2jags,gplots,MASS,survival,splines
Imports:      lattice, methods
Encoding:     UTF-8
Description:  Mediation analysis is used to identify and quantify intermediate effects from factors that intervene the observ
License:      GPL (>= 2)
URL:          https://www.r-project.org, https://publichealth.lsuhsc.edu/Faculty_pages/qyu/index.html
RoxygenNote: 7.2.3
Author:       Qingzhao Yu [aut, cre, cph], Bin Li [aut]

```

Index of help topics:

```

hdbma                High-Dimensional Bayesian Mediation Analysis
hdbma-package        Bayesian Mediation Analysis with
                    High-Dimensional Data
print.summary.hdbma  Print
summary.hdbma        Summary for hdbma results
weight_behavior      Weight_Behavior Data Set

```

The main function is `hdbma` to perform the Bayesian mediation analysis with adaptive Laplace priors.

Author(s)

NA

Maintainer: Qingzhao Yu <qyu@lsuhsc.edu>

References

Yu, Q., Hagan, J., Wu, X., Richmond-Bryant, J., and Li, B., 2023, High-Dimensional Bayesian Mediation Analysis with Adaptive Laplace Priors. Submitted.

Examples

#See examples at `summary.hdbma`.

hdbma

High-Dimensional Bayesian Mediation Analysis

Description

We use the adaptive lasso priors for the Bayesian mediation analysis. Significant exposure variables, mediators are identified and their effects inferred.

Usage

```
hdbma(pred, m, y, refy = rep(NA, ncol(data.frame(y))),
      predref = rep(NA, ncol(data.frame(pred))), fpy = NULL,
      deltap = rep(0.001, ncol(data.frame(pred))), fmy = NULL,
      deltam = rep(0.001, ncol(data.frame(m))), fpm = NULL,
      mref = rep(NA, ncol(data.frame(m))), cova = NULL, mcov = NULL, mc1ist = NULL,
      inits = NULL, n.chains = 1, n.iter = 1100, n.burnin = 100, n.thin = 1,
      mucv = NULL, Omegacv = NULL, mu0.1 = NULL, Omega0.1 = NULL, mu1.1 = NULL,
      Omega1.1 = NULL, mu0.a = NULL, Omega0.a = NULL, mu1.a = NULL, Omega1.a = NULL,
      mu0.b = NULL, Omega0.b = NULL, mu1.b = NULL, Omega1.b = NULL, mu0.c = NULL,
      Omega0.c = NULL, mu1.c = NULL, Omega1.c = NULL, preci = 1e-06, tmax = Inf,
      multi = NULL, filename = NULL, deltax = 1, r1 = 1, partial = FALSE)
```

Arguments

<code>pred</code>	the vector/matrix of exposure(s)/predictor(s).
<code>m</code>	a data frame contains all potential mediators and covariates.
<code>y</code>	the vector/matrix of outcome(s).
<code>refy</code>	the reference group of <code>y</code> if the outcome is categorical.
<code>predref</code>	the reference group of <code>pred</code> if the exposure/predictor is categorical.
<code>fpy</code>	the transformation function of predictor(s) (<code>pred</code>) to explain <code>y</code> . <code>[[1]]</code> list all continuous predictors to be transformed, then following items list the transformation functions for each predictor in list <code>[[1]]</code> in that order.
<code>deltap</code>	the vector of changing amount in predictors.
<code>fmy</code>	the transformation functions of mediators (<code>m</code>) to explain <code>y</code> , <code>[[1]]</code> list all continuous mediators in <code>m</code> to be transformed, then following items list the transformation functions for each mediator in list <code>[[1]]</code> in that order.

deltam	the vector of changing amount in mediators.
fpm	the transformation functions of predictors (pred) to explain mediators (m), <code>[[1]]</code> is a matrix, the first column indicator the mediators to be explained, the second column are the continuous predictors to be transformed; then transformation functions are listed in the following items by the row order of <code>[[1]]</code> .
mref	the reference group of m if any of them is categorical. By default, the reference group is the first one in alphebetic order.
cova	the covariates for the outcome.
mcov	the data frame with all covariates for mediators
mclist	the list of all covariates for mediators. If mclist is NULL but mcov is not, use all covariates in mcov for all mediators. Otherwise the first item of mclist lists all mediators that are using different covariates, the following items give the columns of covariates in mcov for the mediators in order of <code>mclist[[1]]</code> . Use NA is no covariates are to be used. If a mediator is not listed in <code>mclist[[1]]</code> , use all covariates in mcov.
inits	to specify the starting values of parameters. Default is NULL. See <code>R2jags:jags</code> .
n.chains	number of Markov chains (default: 1). See <code>R2jags:jags</code> .
n.iter	number of total iterations per chain (including burn in; default: 1100). See <code>R2jags:jags</code> .
n.burnin	length of burn in, i.e. number of iterations to discard at the beginning. Default is 100. If n.burnin is 0, <code>jags()</code> will run 100 iterations for adaption. See <code>R2jags:jags</code> .
n.thin	thinning rate. Must be a positive integer. Default is 1. See <code>R2jags:jags</code> .
mucv	the prior mean for the variables in cova. Default is 0.
Omegacv	the prior precision for the variables in cova. Default is 0 preci.
mu0.1	the prior mean for the intercept in the prediction model for all mediators. Default is 0.
Omega0.1	the prior precision for the intercept in the prediction model for all mediators. Default is preci.
mu1.1	a vector of the size of meditators include the prior mean for the slope of the exposures in the prediction model for all mediators. Default is <code>rep(0,P)</code> .
Omega1.1	the prior precision matrix ($P \times P$) for the slope of the exposures in the prediction model for all mediators. Default is a diagoal matrix with preci.
mu0.a	the prior mean for the intercept in the prediction model for all continuous mediators. Default is <code>rep(0,p1)</code> , p1 is the number of continuous mediators.
Omega0.a	the prior precision for the intercept in the prediction model for all continuous mediators. Default is <code>diag(preci)</code> .
mu1.a	the prior mean for the slope of the exposures in the prediction model for all continuous mediators. Default is <code>rep(0,p1)</code> , p1 is the number of continuous mediators.
Omega1.a	the prior precision for the slope of the exposures in the prediction model for all continuous mediators. Default is <code>diag(preci)</code> .
mu0.b	the prior mean for the intercept in the prediction logit model for all binary mediators. Default is <code>rep(0,p2)</code> , p2 is the number of bianry mediators.

<code>Omega0.b</code>	the prior precision matrix for the intercept in the prediction logit model for all binary mediators. Default is <code>diag(preci)</code> .
<code>mu1.b</code>	the prior mean for the slope of exposure(s) in the prediction logit model for all binary mediators. Default is <code>rep(0,p2)</code> .
<code>Omega1.b</code>	the prior precision matrix for the slope of exposure(s) in the prediction logit model for all binary mediators. Default is <code>diag(preci)</code> .
<code>mu0.c</code>	the prior mean for the intercept in the prediction logit model for all categorical mediators. Default is 0 for all (<code>array(0,p3,cat1,nmc)</code> , where <code>p3</code> is the number of categorical mediators, <code>cat1</code> is the maximum number of categories of all categorical mediators, and <code>nmc</code> is the number of mcov).
<code>Omega0.c</code>	the prior precision matrix for intercept in the prediction logit model for all categorical mediators. Default is <code>preci</code> at the diagonal matrix of <code>nmc*nmc</code> dimension.
<code>mu1.c</code>	the prior mean for the slope of exposures in the prediction logit model for all categorical mediators. Default is 0 for all (<code>array(0,p3,cat1,c1)</code> , where <code>p3</code> is the number of categorical mediators, <code>cat1</code> is the maximum number of categories of all categorical mediators, and <code>c1</code> is the number of exposures).
<code>Omega1.c</code>	the prior precision matrix for the slope of exposures in the prediction logit model for all categorical mediators. Default is <code>preci</code> at the diagonal matrix of <code>c1*c1</code> dimension.
<code>preci</code>	the prior precision level. Default is 0.000001.
<code>tmax</code>	the maximum time to event for survival analysis. Default is <code>Inf</code> .
<code>multi</code>	in the survival analysis only. If true, calculate the multiplicative effect of survival time.
<code>filename</code>	the directory and filename for the bugs model. If is <code>NULL</code> , the function will generate the bugs model using default functions.
<code>deltax</code>	the change unit in the exposures to calculate the mediation effects. Default is 1.
<code>r1</code>	the penalty parameter is $\lambda^* = \frac{\lambda}{(\alpha\hat{\beta})^r}.$. Default is 1.
<code>partial</code>	if true, do the partial lasso, $\lambda^* = \frac{\lambda}{\alpha^r}.$ Default is <code>FALSE</code> .

Details

The function will automatically catch the types of the outcome and compile the bugs model. Results will be summarized use the summary function. Please see examples under summary.

Value

A `hdbma` object is returned with the following items. Results are summarized using the `summary.hdbma` function.

`aie1, ade1, ate1, ..., ate4` the average indirect effect (ie), direct effect (de) and total effect (te) from the four different methods. See the references.
`sims.list` the simulation results from the bugs model.
`data0` the organized data set that was analyzed.
`omu3, omu4` the total effects from method 3 or 4 for survival outcome only.

Author(s)

Qingzhao Yu and Bin Li

References

Yu, Q., Hagan, J., Wu, X., Richmond-Bryant, J., and Li, B., 2023, High-Dimensional Bayesian Mediation Analysis with Adaptive Laplace Priors. Submitted.

Examples

```
#Check summary.hdbma.
```

```
print.summary.hdbma Print
```

Description

print the results from `summary.hdbma`.

Usage

```
## S3 method for class 'summary.hdbma'
print(x, ..., digit = x$digit, method = x$method, RE = x$RE)
```

Arguments

`x` the results from `summary.hdbma`.
`...` further arguments passed to or from other methods.
`digit` the number of digit to be shown.
`method` the method to be shown. See the reference.
`RE` if true, present results for relative effects. Default is True.

Value

No return value, called for to print results and plots.

Author(s)

Qingzhao Yu and Bin Li

References

Yu, Q., Hagan, J., Wu, X., Richmond-Bryant, J., and Li, B., 2023, High-Dimensional Bayesian Mediation Analysis with Adaptive Laplace Priors. Submitted.

Examples

```
#Examples at summary.hdbma.
```

summary.hdbma	<i>Summary for hdbma results</i>
---------------	----------------------------------

Description

This function summarize the results from hdbma objects with estimations, standard errors, and confidence intervals.

Usage

```
## S3 method for class 'hdbma'
summary(object, ..., plot = TRUE, RE = TRUE,
quant = c(0.025, 0.25, 0.5, 0.75, 0.975), digit = 4, method = 1)
```

Arguments

object	the hdbma object from the hdbma function.
...	further arguments passed to or from other methods.
plot	if true, plot the estimation summaries. Default is True.
RE	if true, present results for relative effects. Default is True.
quant	the set of quantiles to be shown in the sumamry results. Default is c(0.025, 0.25, 0.5, 0.75, 0.975).
digit	the number of digit to be shown.
method	the method to be shown. See the reference.

Value

```
result1, ..., result4
    the inference results for estimated mediation effects from methods 1 to 4.
result1.re, ..., result4.re
    the inference results for estimated relative effects from methods 1 to 4.
```

Author(s)

Qingzhao Yu and Bin Li

References

Yu, Q., Hagan, J., Wu, X., Richmond-Bryant, J., and Li, B., 2023, High-Dimensional Bayesian Mediation Analysis with Adaptive Laplace Priors. Submitted.

Examples

```

data("weight_behavior")
#for all the examples, needs to remove or increase n.iter and n.burnin

#binary predictor
test.b.c<- hdbma(pred=weight_behavior[,3], m=weight_behavior[,c(4,14,12,13)],
                y=weight_behavior[,1],n.iter=10,n.burnin = 1)
summary(test.b.c)

##use covariate for y
test.b.c.2<- hdbma(pred=weight_behavior[,3], m=weight_behavior[,12:14],
                  y=weight_behavior[,1],cova=weight_behavior[,2],n.iter=10,n.burnin = 1)
summary(test.b.c.2)

#categorical predictor
test.ca.c<- hdbma(pred=weight_behavior[,4], m=weight_behavior[,12:14],
                  y=weight_behavior[,1],n.iter=10,n.burnin = 1)
summary(test.ca.c)

#use covariate for mediators
test.b.c.3<- hdbma(pred=weight_behavior[,3], m=weight_behavior[,c(9,12:14)],
                  y=weight_behavior[,1],mcov=weight_behavior[,c(2,5)],
                  mcList = list(1,2),n.iter=10,n.burnin = 1)
summary(test.b.c.3)

#use continuous predictor
test.c.c<- hdbma(pred=weight_behavior[,2], m=weight_behavior[,12:14],
                 y=weight_behavior[,1],n.iter=10,n.burnin = 1)
summary(test.c.c,method=3)

#use transferred continuous predictor
test.c.c.2<- hdbma(pred=weight_behavior[,2], m=weight_behavior[,12:14],
                  y=weight_behavior[,1],fpy=list(1,c("x","x^2")),
                  n.iter=10,n.burnin = 1)
summary(test.c.c.2,method=1)

#multiple predictors
test.m.c<- hdbma(pred=weight_behavior[,2:4], m=weight_behavior[,12:14],
                 y=weight_behavior[,1],n.iter=10,n.burnin = 1)
summary(test.m.c,RE=FALSE)

##binary outcome
test.m.b<- hdbma(pred=weight_behavior[,2:4], m=weight_behavior[,12:14],
                 y=weight_behavior[,15],cova=weight_behavior[,5],
                 n.iter=10,n.burnin = 1)
summary(test.m.b,method=2)

```



```

##categorical outcome
weight_behavior[,14]=as.factor(weight_behavior[,14])
test.m.c<- hdbma(pred=weight_behavior[,2:4], m=weight_behavior[,12:13],
                y=weight_behavior[,14],cova=weight_behavior[,5],
                n.iter=10,n.burnin = 1)
summary(test.m.c,method=2)
summary(test.m.c,method=1)

##time-to-event outcome
##Surv class outcome (survival analysis)
#use a simulation
set.seed(1)
N=100

alpha=0.5
x=rnorm(N,0,1)
x=ifelse(x>0,1,0)
e1=rnorm(N,0,1)
M=alpha*x+e1
lambda=0.01
rho=1
beta=1.2
c=-1
rateC=0.001
v=runif(n=N)
Tlat =(- log(v) / (lambda * exp(c*x+M*beta)))^(1 / rho)
C=rexp(n=N, rate=rateC)
time=pmin(Tlat, C)
status <- as.numeric(Tlat <= C)

test.m.t.1<- hdbma(pred=x, m=M,y=Surv(time,status),inits=function(){
  list(r=1,lambda=0.01)
},n.iter=10,n.burnin = 1)
summary(test.m.t.1,RE=FALSE)

```

weight_behavior

Weight_Behavior Data Set

Description

This database was obtained from the Louisiana State University Health Sciences Center, New Orleans, by Dr. Richard Scribner. He explored the relationship between BMI and kids behavior through a survey at children, teachers and parents in Grenada in 2014. This data set includes 691 observations and 15 variables.

Usage

```
data(weight_behavior)
```

Format

The data set contains the following variables:

bmi - body mass index, calculated by $\text{weight}(\text{kg})/\text{height}(\text{cm})^2$, numeric

age - children's age in years at the time of survey, numeric

sex - sex of the children, factor

race - race of the children, factor

numpeople - number of people in family, numeric

car - the number of cars in family, numeric

gotosch - the method used to go to school, factor

snack - eat snack or not in a day, binary

tvhours - number of hours watching TV per week, numeric

cmphours - number of hours using computer per week, numeric

cellhours - number of hours playing with cell phones per week, numeric

sports - join in a sport team or not, 1: yes; and 2: no

exercises - number of hours of exercises per week, numeric

sweat - number of hours of sweating activities per week, numeric

overweigh - the child is overweighed or not, binary

Examples

```
data(weight_behavior)
names(weight_behavior)
```

Index

- * **Datasets**

- weight_behavior, [9](#)

- * **high-dimensional Bayesian mediation analysis**

- hdbma-package, [2](#)

hdbma, [3](#)

hdbma-package, [2](#)

print.summary.hdbma, [6](#)

summary.hdbma, [7](#)

weight_behavior, [9](#)